

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1196	(hardware and (id or identification)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:23
S2	64	(hardware and (id or identification) and install\$5).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:49
S3	8	S1 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:59
S4	0	S3 and (disk with adapter with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:06
S5	0	S1 and (disk with adapter with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:54
S6	47	S1 and (disk with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:56
S7	3	S3 and (disk with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:54
S8	12	S1 and (disk with drive with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:00
S9	1	"5953422".PN.	USPAT; USCOOR	OR	ON	2005/04/15 17:57

S10	0	S3 and (disk with adapter with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:59
S11	2137	(hardware and (id or identif\$6)).ab. and ((@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:59
S12	524	(hardware with (id or identif\$6)).ab. and ((@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:59
S13	5	S12 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:37
S14	7	S12 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:04
S15	3	S12 and ((CD adj2 ROM) with (id or identify))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:01
S16	3	S12 and ((CD adj2 ROM) with (id or identify\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:03
S17	6	S12 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:04
S18	9	S11 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:02
S19	18	S11 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:10

S20	0	S11 and (disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:07
S21	195	(disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:09
S22	110	((disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:14
S23	612	((CD adj2 ROM) with (id or identif\$6))and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:29
S24	0	S23 and (disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:09
S25	48	S22 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:14
S26	105	((disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:44
S27	44	S26 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:49
S28	1	S23 and ((display adj adapter) same (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:30

S29	1	S27 and (MAC with address with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:48
S30	13	(display adj adapter) with (id or identif\$6) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:44
S31	618	(MAC with address with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:48
S32	1	S26 and (MAC with address with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:49
S33	207	"618" and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:54
S34	6	S33 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:55
S35	3	S34 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:52
S36	9	S31 and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:59
S37	0	S36 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:55
S38	6	S36 and (processor with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 19:02

S39	0	S36 and (processor with type with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 19:02
S40	1936	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 15:28
S41	1	S40 and (RAM with size with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 19:04
S42	1936	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 15:28
S43	1	S42 and (RAM with size with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 15:29
S44	45	S42 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 15:29
S45	23066	"64" adj bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:16
S46	524	(hardware with (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:37
S47	12	S46 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:38

S48	5	S46 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:38
S49	0	S48 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:38
S50	12	S46 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:39
S51	4	((software and instal\$7 and generat\$5 and (id or identification) and hardware). ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 18:39
S52	3	((software near3 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 18:42
S53	3	((software NEAR3 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:20
S54	3	((software NEAR4 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 18:47

S55	3	((software with instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 18:47
S56	35	((software NEAR3 instal\$7) same ((id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:42
S57	2	"5646992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:43
S58	2174	(hardware and (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:02
S59	9	S58 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:02
S60	3	S59 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:15
S61	105	(disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:15
S62	44	S61 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:15
S63	0	S62 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:19

S64	13	(display adj adapter) with (id or identif\$6) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:19
S65	0	S64 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:20
S66	670	(MAC with address with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:20
S67	13	S66 and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:20
S68	6	S67 and (processor with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:20
S69	0	S68 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:21
S70	2036	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:21
S71	47	S70 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:21
S72	0	S71 and (computer near4 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:21



S73	1402	(computer near3 (id or identification)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:38
S74	0	S73 and ((id or identification) near5 generat\$6 near5 software near5 install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:27
S75	1	S73 and ((id or identification) near10 generat\$6 near10 software near10 install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:28
S76	8	S73 and ((id or identification) same generat\$6 same software same install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:08
S77	42	S73 and ((id or identification) same generat\$6 same software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:33
S78	505	(computer near3 (id or identification) and (generat\$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:41
S79	2	"6243468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:40
S80	114	(computer near3 (id or identification) near5 (generat\$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:46

S81	206	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:47
S82	30	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6) and software).ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:51
S83	16	((generat\$6 or mak\$6 or creat \$6 or produc\$6) adj5 (computer near3 (id or identification) and software). ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:51
S84	1	S76 and (hardware near3 (id or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:08
S85	2	"4866769".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 23:22
S86	69	(hardware and (id or identification)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:40
S87	14	(hardware and (id or identification) and install\$5). dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:41
S88	0	S87 and ((CD adj2 ROM) with (id or identification)).dm.	US-PGPUB	OR	ON	2009/03/15 23:41
S89	38	"11" and (disk with (id or identification)).dm.	US-PGPUB	OR	ON	2009/03/15 23:41

S90	0	S86 and (disk with (id or identifcation)).dm.	US-PGPUB	OR	ON	2009/03/15 23:42
S91	0	S86 and (disk with drive with (id or identifcation)).dm.	US-PGPUB	OR	ON	2009/03/15 23:42
S92	151	(hardware and (id or identif \$6)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:43
S93	36	(hardware with (id or identif \$6)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:43
S94	0	S83 and ((CD adj2 ROM) with (id or identifcation)).dm.	US-PGPUB	OR	ON	2009/03/15 23:43
S95	0	S83 and (disk with drive with (id or identif\$5)).dm.	US-PGPUB	OR	ON	2009/03/15 23:44
S96	6	S92 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB	OR	ON	2009/03/15 23:44
S97	0	S92 and (disk with drive with (id or identif\$5)).dm.	US-PGPUB	OR	ON	2009/03/15 23:45
S98	0	S92 and (disk with drive with (id or identif\$5)).dm.	US-PGPUB	OR	ON	2009/03/15 23:45
S99	0	(disk with adapter with (id or identif\$6)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:46
S100	151	(hardware and (id or identif \$6)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:46
S101	24	(processor with type with (id or identif\$6)).dm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:47
S102	0	S101 and (RAM with size).dm.	US-PGPUB	OR	ON	2009/03/15 23:47

S103	157	(computer near3 (id or identification)).clm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:48
S104	19	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6)).clm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:48
S105	19	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6)).clm. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB	OR	ON	2009/03/15 23:49
S106	56	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6) and software).clm. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 23:49
S107	19	(computer near3 (id or identification) near5 (generat \$6 or mak\$6 or creat\$6 or produc\$6) and software).clm. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB	OR	ON	2009/03/15 23:49
S108	10	((generat\$6 or mak\$6 or creat \$6 or produc\$6) adj5 (computer near3 (id or identification) and software).clm. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB	OR	ON	2009/03/15 23:49
S109	0	S103 and (hardware near3 (id or identifier)).clm.	US-PGPUB	OR	ON	2009/03/15 23:50

**3/ 16/ 2009 8:21:44 AM**

**C:\ Documents and Settings\ bbadii\ My Documents\ EAST\ Workspaces\ 10668580.wsp**